

Report




Figure 1. Distribution of *E. (N. G. 1999, G. 1986)*. A. DNA. B.




Figure 2




Figure 3

N E ()
 W E
 N E
 N E () 1991;
 C DNA 1994). H
 DNA
 E E N E M
 E (B 2000; N 2000).
 DNA
 A
 E C (2002).

325() - P230C-390() -343.8(90) -375(90) J 8 E -




Figure 4. PC plot of genetic variation across different regions. The x-axis is 'First PC' and the y-axis is 'Second PC'. Regions are labeled: Near East, Med-east, Med-central, North-east, South-east, North-central, North-west, Med-west, and South-west.





Figure 5



G... 16:356-362
 L... H-J, H... J, P... (1998) L... DNA... 111: 67-77
 M... M, H... E... E, G... F, G... B... A (1999) DNA... WFLP... A, J, H... G... 64: 232-249
 M... P, P... PA, C... LL (1978) ... 201: 786-792
 P... H, B... B, H... J... B, M... AA... H... MM, F... P (1999) E... DNA... I, J, L... M... 112:291-298
 B... D (2000) E... C... M, M... (2000) G... C, B... K... A... DNA... E... M, D... I... A... C... 139-151
 P... MB, M... A, B... H-J... BC (1998) DNA... E... A... H... G... 62:241-260
 M, M... H... E... E... B, G... C... (2000) E... N... É... A... J, H... G... 67:1251-1276
 H... H... ME, A... M, A... D, A... A... (2000) ... 67:1526-1543
 Ó, P... G, B... A, F... M... B... (1996) A... N... E... J, H... G... 59:964-968

O, P... G, G... PF, L... AA, A... B... LE, D... G, F... P, K... A, L... M... M... A, M... B, R... D... (2000) ... C... LL... PA... *Homo sapiens sapiens* ... E... 290:1155-1159
 L, C... E... D, B... J, B... B