My Signs of Anxiety

Please take a few minutes to think about some of the signals that you've had when feeling anxious.

Then, circle and write down examples for each area.

	then, circle and write down examples for each area.	
	I notice Physical changes like:	
	(muscle tension, rapid heartbeat, rapid breathing, shakiness, dizziness, lightheadedness, stomach ache, chest pressure, feeling on edge, fatigue, difficulty focusing, blushing, sweating, restlessness, headaches)	
•		
	My actions and Behaviors change like:	
· ·	(avoiding friends/school/work, withdrawing from others, partner relationship changes, fidgeting, picking at nails/skin/hair, compulsive behaviors, alcohol/substances, turning down invitations	
£		
- 		
7	,	
*		
	• • • • • • • • • • • • • • • • • • •	
- - -)	
	, , , , , , , , , , , , , , , , , , ,	
	-	
~		
_		

What are Cognitive Distortions?

Cognitive distortions alter our perception, much like wearing glasses with misshaped lenses. These are *automatic thinking patterns that distort reality* and contribute to increased anxiety, hopelessness, and suffering. They're also called *Thinking Errors or Thought Distortions*.

Please check the distortions that affect your anxiety the most

l		
u.m. ng		
. J		
, i		
	· .	
-		
•		
•		
	* 35	-
		_
-		
 		
<u>,</u>		_
		_
4-		
, , , , , , , , , , , , , , , , , , , 	P	=
سر مس <u>ر ش</u> ر		_
<u></u>		
	<u></u>	
	, <u>*</u>	

Cycle of Anxiety

Rick Eactors	Triggere			
· ————————————————————————————————————				
Genetics Health Concerns	Stress & Change, such as:			
	* 1			
<u>Б</u>				
-				
★ /-				
	<u> </u>			
r. [
,				



Mindfulness of Emotions: Primary & Secondary Emotions

			7 7	, 5	1 1	•	
nda							
<u></u>							
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
<u> </u>							
<u> </u>							
<u> </u>							
<u> </u>							
· .							
<u> </u>							
<u> </u>							
·							
\							
<u>}_1</u>							
7							
_							
1							
·							
<u></u>							
							
)							
<u>*</u>							
							
							
3							
<u>*</u>							
							
				11.			-

	It also helps to be more precise, using words beyond upset or uncomfortable, to better understand
-	and support your emotions. Please look over a few examples of this below:
······································	<u> </u>
[_d	
وما	
•	
<u></u>	
· · · · · · · · · · · · · · · · · · ·	
	Afraid, Apprehensive, Cautious, Distrustful, Dread, Endangered, Excited, Fearful, Hesitant, Hypervigilant, Impatient, Nervous, Panicked, Petrified, Overwhelmed, On-edge, Scared, Self-conscious, Shaky, Shy, Suspicious, Suspenseful, Tense, Threatened, Restless, Uneasy, Unsafe
•••	
	· · · · · · · · · · · · · · · · · · ·
	Sadness Words:
	Alone, Burdened, Burdensome, Devastated, Disappointed, Dejected, Demoralized, Discouraged, Disheartened, Distraught, Down, Excluded, Grief-stricken, Gloomy, Heartbroken, Hopeless,
<u>-</u>	•
, ' *	R .
	E
<u>.</u>	
· · · · · · · · · · · · · · · · · · ·	
<u>.</u>	